



Appendix B**Clean Set Of All Pending Application Claims**

7. (Once amended) A method of treating diarrhea comprising administering to a mammal in need thereof an effective amount of a compound of the following formula:




wherein R is selected from C₁ to C₆ alkyl amine, C₁ to C₆ dialkyl amine, unsubstituted piperidino, piperazino, pyrrolidino, pyrrolino, morpholino, an amino cyclohexyl derivative or a pharmaceutically acceptable salt thereof.

9. (Once amended) A method of treating inflammatory gastrointestinal tract disorders comprising administering to a mammal in need thereof an effective amount of a compound of the following formula:



wherein R is selected from C₁ to C₆ alkyl amine, C₁ to C₆ dialkyl amine, unsubstituted piperidino, piperazino, pyrrolidino, pyrrolino, morpholino, an amino cyclohexyl derivative or a pharmaceutically acceptable salt thereof.

10. (Once amended) A method of treating depression comprising administering to a mammal in need thereof an effective amount of a compound of the following formula:




wherein R is selected from C₁ to C₆ alkyl amine, C₁ to C₆ dialkyl amine, unsubstituted piperidino, piperazino, pyrrolidino, pyrrolino, morpholino, an amino cyclohexyl derivative or a pharmaceutically acceptable salt thereof.

13. (Twice amended) The method of claims 7 or 9 or 10, wherein said compound is incorporated with inert carriers into a tablet and administered orally.

14. (Twice amended) The method of claims 7 or 9 or 10, wherein said compound is incorporated with a propellant and a solvent and administered by inhalation of mist.

15. (Twice amended) The method of claims 7 or 9 or 10, wherein said compound is incorporated with a pharmaceutically acceptable carrier and injected into said mammal.

23. A compound having the following formula:



or a pharmaceutically acceptable salt thereof.